L0998160003-LaSalle Co. Carus Chemical Company ILD 005477666 SF/HRS



TABLE OF CONTENTS

| Section | | | <u>Page</u> |
|---------|-------|--|-------------|
| 1 | INTRO | DDUCTION | 1-1 |
| 2 | SITE | BACKGROUND | |
| | 2.1 | INTRODUCTION | 2-1 |
| | 2.2 | SITE DESCRIPTION | 2-1 |
| | 2.3 | SITE HISTORY | 2-2 |
| | 2.4 | APPLICABILITY OF OTHER STATUTES | 2-4 |
| 3 | SITE | INSPECTION ACTIVITIES AND ANALYTICAL RESULTS | 3-1 |
| | 3.1 | INTRODUCTION | |
| | 3.2 | RECONNAISANCE INSPECTION | 3-1 |
| | 3.3 | SITE REPRESENTATIVE INTERVIEW | 3-2 |
| | 3.4 | SOIL/SEDIMENT SAMPLING | 3-3 |
| | 3.5 | GROUNDWATER SAMPLING | 3-8 |
| | 3.6 | SURFACE WATER SAMPLING | 3-1 |
| | 3.7 | ANALYTICAL RESULTS | 3-10 |
| | 3.8 | KEY SAMPLES | 3-1 |
| 4 | IDENT | TIFICATION OF SOURCES | |
| | 4.1 | INTRODUCTION | 4-1 |
| | 4.2 | EMERGENCY STORAGE AREA | 4-1 |
| _ | 4.3 | SOUTH SETTLING AND TREATMENT POND | 4-2 |
| | 4.4 | CINDER AND SLAG AREA | 4-2 |
| | 4.5 | FORMER FILTER BAG AND DRUM STORAGE AREA | |
| | 4.5 | POTENTIAL WASTE PILES | 4-3 |
| 5 | MIGRA | ATION PATHWAYS | |
| | 5.1 | INTRODUCTION | 5-1 |
| | 5.2 | GROUNDWATER PATHWAY | |
| | 5.3 | SURFACE WATER PATHWAY | |
| | 5.4 | AIR PATHWAY | |
| | 5.5 | SOIL EXPOSURE PATHWAY | |
| 6 | BTBL | OGRAPHY | 6-1 |

| Appendix | | Page |
|----------|--|------|
| A | SITE 4-MILE RADIUS MAP | A-1 |
| В | SURFACE WATER ROUTE MAP | B-1 |
| С | U.S. EPA FORM 2070-13 | C-1 |
| ۵ | TARGET COMPOUND LIST | D-1 |
| E | IEPA SITE PHOTOGRAPHS | E-1 |
| F | ANALYTICAL RESULTS FROM IEPA COLLECTED SAMPLES (See volume 2 of 2) | F-1 |

LIST OF FIGURES

| <u>Figure</u> | | <u>Page</u> |
|---------------|------------------------------------|-------------|
| 2-1 | STATE OF ILLINOIS LOCATION MAP | 2-6 |
| 2-2 | SITE LOCATION MAP | 2-7 |
| 2-3 | AERIAL PHOTOGRAPH | 2-8 |
| 3-1 | SAMPLING LOCATION MAP | 3-4 |
| 3-2 | SAMPLING LOCATION MAP (BACKGROUND) | 3-5 |

LIST OF TABLES

| <u>Table</u> | | <u>Page</u> |
|--------------|--|-------------|
| 3-1 | SOIL/SEDIMENT SAMPLING | 3-6 |
| 3-2 | GROUNDWATER SAMPLING | 3-9 |
| 3-3 | GROUNDWATER AND SOIL KEY SAMPLES | 3-13 |
| 3-4 | SEDIMENT KEY SAMPLES | 3-14 |
| F-1 | SAMPLE SUMMARY FROM IEPA COLLECTED SAMPLES (see volume 2 of 2) | Vol. 2 |

1. INTRODUCTION

On September 24, 1991, the Illinois Environmental
Protection Agency's (IEPA) Pre-Remedial Program was tasked by
the United States Environmental Protection Agency (U.S.EPA)
to conduct a CERCLA Screening Site Inspection of the Carus
Chemical Company site located in LaSalle, Illinois.

The site was initially placed on CERCLIS (Comprehensive Environmental Response, Compensation and Liability Act Information System) in August of 1990 as a result of a request for discovery action initiated by the Illinois Environmental Protection Agency. This action was taken as a result of previous waste disposal practices at the facility and the many years of operation at the same location.

The facility received its initial CERCLA evaluation in the form of a Preliminary Assessment (PA) report that was completed by Mr. Robert Casper of the Illinois EPA in June of 1991. In November, 1991, the Illinois EPA's Pre-Remedial Program prepared and submitted to the Region V offices of the U.S. Environmental Protection Agency a Screening Site Inspection work plan for the Carus Chemical Company facility. The sampling portion of the Screening Site Inspection was conducted on November 20 and 21, 1991 when the sampling team collected a total of four groundwater, five soil and eight sediment samples.

The purposes of a Screening Site Inspection have been stated by U.S.EPA in a directive outlining Pre-Remedial program strategies. The directive states:

All sites will receive a screening SI to 1) collect additional data beyond the PA to enable a more refined preliminary HRS [Hazard Ranking System] score, 2) establish priorities among sites most likely to qualify for the NPL [National Priorities List], and 3) identify the most critical data requirements for the Listing SI step. A screening SI will not have rigorous data quality objectives (DQOs). Based on the refined preliminary HRS score and other technical judgement factors, the site will then either be designated as NFRAP [no further remedial action planned], or carried forward as an NPL listing candidate. A Listing SI will not automatically be done on these site, however. First, they will go through a management evaluation to determine whether they can be addressed by another authority such as RCRA [Resource Conservation and Recovery Act]... Sites that are designated NFRAP or deferred to other statutes are not candidates for a Listing SI.

The Listing SI will address all the data requirements of the revised HRS using field screening and NPL level DQOs. It may also provide needed data in a format to support remedial investigation work plan development. Only sites that appear to score high enough for listing and that have not been deferred by another authority will receive a Listing SI (U.S.EPA 1988).

The Region V offices of the U.S. EPA have also requested that the Illinois Environmental Protection Agency identify sites during the Screening Site Inspection that may require removal action to remediate an immediate human health and/or environmental threat.

2. SITE BACKGROUND

2.1 INTRODUCTION

This section includes information obtained over the course of the formal CERCLA Screening Site Inspection investigation and previous Illinois Environmental Protection Agency activities involving this site.

2.2 SITE DESCRIPTION

The Carus Chemical Company site currently occupies approximately 33 acres along the eastern edge of LaSalle, Illinois (see figures 2-1 and 2-2). The site is an active facility located at 1500 Eighth Street, LaSalle, Illinois. The site is legally described as being located in the East Half of the Northwest Quarter of Section 14, Township 33 North, Range 1 East of the Third Principal Meridian in LaSalle County, Illinois. The site is bordered by LaSalle Rolling Mills and Zinco on the north, the Little Vermillion River on the east, Sterling Street on the west and Seventh Street on the south. A 4-mile radius map of the area surrounding the Carus Chemical Company site and a fifteen mile surface drainage map are provided in Appendix A and appendix B of this report.

2.3 SITE HISTORY

Carus Chemical Company began operations at the present location in 1915 and is still in business. Prior to this the land was agricultural; however, the site is located adjacent to an area that has been in use prior to 1915 and up to the present as a zinc processing facility. Originally, potassium permanganate was the only compound manufactured at Carus Chemical Company. Over the years a number of other substances were added to the product line. These included a developer, manganese dioxide, sodium permanganate, PPC pyridinedicarboxylic acid, and chlorides, nitrates carbonates of cesium. Raw materials that are used in the manufacturing processes include copper sulfate; sulfuric, nitric and hydrochloric acids; sodium hydroxide; cesium bearing ore; manganese dioxide; ethylene glycol; sodium carbonate; sodium bicarbonate; aluminum oxide and flocculation polymers.

Currently raw materials used at Carus Chemical Company are received in bulk quantities and are stored indoors. Finished product is stored in warehouses protected from the weather. The facility obtains all of its water from the city of LaSalle and the sanitary and wastewater streams are handled seperately. Sanitary wastes from the office, laboratory, locker facilities and specialty products process water is disposed of by the city of LaSalle sewer system.

Approximately 50,000 to 60,000 gallons per day are discharged into the LaSalle Sanitary Sewer system. Storm water run-off

is collected in the Emergency Storage Area, which is of sufficient volume to provide storage for a 5 inch rain (10 year, 24 hour storm event).

Wastewaters from the manufacture of potassium permanganate are eventually discharged into the Little Vermilion River. This wastewater is generated from periodic boiler blowdowns, compressor coolings, rainfall run-off, pumping of the accumulated stormwater and equipment wash water. Wastewater quantity generated is typically 950,000 gallons per day. Before any wastewater, enters the Little Vermilion River it first passes through a monitoring building where the pH and absorbance are checked to ensure that the water does not contain excess turbidity or permanganate.

From the monitoring station the water is discharged into the north end of the south settling and treatment pond, which is approximately four acres in size. The water travels to the southeast portion of this pond and enters an overflow box where it then travels via a pipe into the Little Vermilion River.


Solid wastes from the manufacturing activities are disposed of offsite. They are transported in large capacity dumpsters to a specialized Carus owned landfill which is used only for Carus products. This has been the practice since the early 1970's when wastes were first disposed of at Carus No. 1, located approximately 3 miles west of Ottawa, Illinois. This site was used until 1986 and was replaced by Carus No. 2, located approximately 1 mile east of Carus No. 1.

According to Illinois Environmental Protection Agency records an incident did occurred on April 1, 1984 when a pump packing failure allowed potassium permanganate mother liquor to enter the Little Vermilion River. This was the result of the failure of a telephone alarm on the sewer monitor to notify plant personnel that water passing through the monitoring station was above acceptable limits. The facility has NPDES Permit number IL0002623 which allows the discharge of process waste water from the Carox manufacturing area and storm water into the Little Vermilion River. All sanitary wastes and process wastes from the Specialty Products group are disharged to the City of LaSalle sewer system.

2.4 APPLICABILITY OF OTHER STATUTES

The Carus Chemical Company site and its offsite waste disposal operation is not regulated under RCRA (Resource Conservation and Recovery Act) since the materials that are used and generated are not classified as hazardous. The Illinois Environmental Protection Agency has issued a number of permits to the company concerning the development and operation of the disposal area and for specific wastes including pollucite ore waste, pollucite ore cesium process wastes, cesium manganese dioxide waste, pretreatment wastes and manganese dioxide process waste. The company also has been issued permits by the IEPA Division of Water for the operation of the south treatment pond, sewer connections to the city of LaSalle and NPDES water permit for the discharge

of water from the south settling and treatment pond into the Little Vermillion river. The company also has a General Wastewater Discharge Permit issued by the city of LaSalle and a Radioactive Material Licence issued by the Department of Nuclear Safety of the State of Illinois.




SDMS US EPA REGION V COLOR-RESOLUTION - 2

IMAGERY INSERT FORM

The following page(s) of this document include color or resolution variations. Unless otherwise noted, these pages are available in monochrome. The original document is available for viewing at the Superfund Records Center.

| SITE NAME | MATTHIESEN & HEGELER ZINC |
|---------------------------------|--|
| DOC ID# | 146317 |
| DESCRIPTION OF ITEM(S) | MAPS |
| PRP | RMD - MATTHIESEN & HEGELER ZINC |
| DOCUMENT VARIATION | X COLOR OR RESOLUTION |
| DATE OF ITEM(S) | 1979-1988 |
| NO. OF ITEMS | 2 |
| PHASE | SAS |
| OPERABLE UNITS | |
| LOCATION | Box # Folder # Subsection <u>C3</u> |
| PHASE (AR DOCUMENTS ONLY) | Remedial Removal Deletion Docket Original Update # Volume of |
| | COMMENT(S) |
| SITE LO | CATION MAPS - FIGURE 2-2 - 2-3 |





3. SITE INSPECTION ACTIVITIES AND ANALYTICAL RESULTS

3.1 INTRODUCTION

This section outlines procedures utilized and observations made during the CERCLA Screening Site Inspection conducted at the Carus Chemical Company facility. Specific portions of this section contain information pertaining to the site representative interview, reconnaissance inspection and field sampling procedures. Also included in this section is information about the soil/sediment and groundwater samples that were collected during the Screening Site Inspection. This is followed by a description of the analytical results and a table indicating the Key Samples and their contaminants. The Screening Site Inspection for the Carus Chemical Company facility was conducted in accordance with the site inspection work plan which was developed and submitted to the U.S. EPA Region V offices prior to the initiation of field activities. The U.S. EPA Potential Hazardous Waste Site Inspection Report (Form 2070-13) for Carus Chemical Company is located in Appendix C of this report.

3.2 RECONNAISSANCE INSPECTION

On October 30, 1991, Mr. Robert Casper and Mr. Greg
Dunn of the Illinois Environmental Protection Agency
conducted the initial CERCLA Screening Site Inspection
reconnaissance inspection of the Carus Chemical Company. The
reconnaissance included a visual inspection of the facility

to delineate the extent of their activities, identify potential sampling locations and identify appropriate health and safety concerns. Monitor well location maps were checked and the locations of the monitor wells were identified and noted on a site map. During the reconnaissance visit, it was determined that Level D inspection attire could be worn during the sampling activities unless air monitoring equipment detected any concentrations over background.

The reconnaissance confirmed the fact that the Carus Chemical Company facility is located at 1500 Eighth Street, LaSalle, Illinois. The author met with the following Carus representatives: Horst Adolf, Director of Regulatory Affairs; David W. Covey, Director of Plant Support Services; and James R. Miller P.E., Senior Project Engineer. During the meeting the objectives of the inspection were discussed and questions concerning the inspection were answered. After the meeting the author, Greg Dunn, James Miller and David Covey visually inspected the facility. The current operations at the site were explained and observations of potential sampling locations were noted on a map. The topography of the site is varied. The portion of the site used for manufacturing is flat and consists of approximately 13 acres. The eastern portion contains approximately 20 acres and drops sharply toward the Little Vermilion River, which forms the sites' eastern boundary. Surrounding land use includes Zinco and LaSalle Rolling Mills to the north, with residential areas of LaSalle bordering the south and west sides of the site.

3.3 SITE REPRESENTATIVE INTERVIEW

The site representative interview was conducted on November 20, 1991 between Mr. Robert Casper of the IEPA and Mr. Horst Adolf, Director of Regulatory Affairs for Carus Chemical Company. The purpose of the meeting was to gather additional information concerning the site history and past operations, explain the CERCLA Pre-remedial process, and to designate the proposed sampling locations of the upcoming CERCLA Screening Site Inspection. Others present at the conference were Greg Dunn, Timothy Murphy and Kim Nika, all with the Illinois Environmental Protection Agency, and Carus Chemical Company representatives James Miller, Roger Threde and David Covey. After the formal interview, IEPA personnel began implementing their site screening and sampling activities.

3.4 SOIL/SEDIMENT SAMPLING PROCEDURES


On November 20 and 21, 1991, Illinois Environmental Protection Agency personnel collected five soil and eight sediment samples for the purpose of determining if areas of contamination were present at the Carus Chemical Company facility and surrounding area (see figures 3-1 and 3-2 for sampling locations). The shallow soil/sediment samples were collected with stainless steel spoons and trowels whereas the deeper soil samples were collected with stainless steel


SDMS US EPA REGION V COLOR-RESOLUTION - 2

IMAGERY INSERT FORM

The following page(s) of this document include color or resolution variations. Unless otherwise noted, these pages are available in monochrome. The original document is available for viewing at the Superfund Records Center.

| SITE NAME | MATTHIESEN & HEGELER ZINC | | | | |
|---------------------------------|---|--|--|--|--|
| DOC ID# | 146317 | | | | |
| DESCRIPTION OF ITEM(S) | MAPS | | | | |
| PRP | RMD - MATTHIESEN & HEGELER ZINC | | | | |
| DOCUMENT VARIATION | X COLOR OR RESOLUTION | | | | |
| DATE OF ITEM(S) | 1979-1988 | | | | |
| NO. OF ITEMS | 2 | | | | |
| PHASE | SAS | | | | |
| OPERABLE UNITS | | | | | |
| LOCATION | Box # Folder # Subsection <u>C3</u> | | | | |
| PHASE (AR DOCUMENTS ONLY) | RemedialRemovalDeletion DocketOriginalUpdate #Volume of | | | | |
| | COMMENT(S) | | | | |
| SAMPLE LOCATION MAPS | | | | | |





bucket augers. The soil was transferred directly into the sample jars from the sampling device. Before the spoons, trowels or bucket augers were used at the site, each had been decontaminated at the Illinois Environmental Protection Agency's Warehouse.

The soil/sediment sample jars and the groundwater bottles were packaged and sealed in accordance with previously documented Pre-Remedial Program procedures. The IEPA samples were analyzed for the Target Compound List by ARDL Inc. of Mt. Vernon, Illinois. Photographs for the Carus Chemical Company screening site inspection are provided in Appendix E of this report. The following table lists the soil/sediment samples in the chronological order in which they were collected:

Table 3-1

Soil/Sediment Sampling

Soil/Sediment Samples collected on November 20, 1991:

X105

| <u>Time</u> | | <u>Depth</u> | <u>Location</u> |
|-------------|----|--------------|---|
| 3:05 | pm | 0-8" | Near the southeast corner of manufacturing area, 55'6" N of SE corner post and collected along the fence. |

| <u>X102</u> | | |
|-------------|---------|---|
| 3:30 pm | Surface | Drum and filter bag storage area, 37"3" N |
| | | of old unused acid storage tank. |

X101 4:20 pm 0-4" Hegeler Park, 123' N of fence surrounding swimming pool.

Soil/Sediment samples collected on November 21, 1991:

| X204 <u>Time</u> 9:00am | <u>Depth</u> 0-8" | Location On the west side of the Little Vermilion River, near the outfall pipe of the South Settling and Treatment Pond. 53' S of outfall pipe. |
|-------------------------------|----------------------|---|
| <u>X205</u> 9:30am | 0-8" | 9' north of overflow pipe in the southeast portion of the South Settling and Treatment Pond. |
| <u>X206</u> 9:55am | 0-8" | End of delta at the northern end of the South Settling and Treatment Pond. |
| X203 10:20am | 0-8" | West bank of the Little Vermilion near the northern portion of the South Settling and Treatment pond, 55'6" S of drainage pipe. |
| X103 Time | <u>Depth</u> | <u>Location</u> |
| 11:00am | | |
| 11.00am | 0-6" | Slag area east of Carus plant, near chain link fence at the northern property boundary. 56' W of fence end post, 76'6" S of fence. |
| X104 11:25am | 0-6" 0-6" | link fence at the northern property boundary. 56' W of fence end post, 76'6" S |
| <u>X104</u> | 0-6" | link fence at the northern property boundary. 56' W of fence end post, 76'6" S of fence. West bank of the Little Vermilion River 55'5" above the water line. 95' E of the E end post of fence along the northern |

X208 12:55pm 0-8"

East bank of the Little Vermilion River approximately 1,200' north of Carus Chemical Company, upstream from the point where a stream from a quarry enters the river.

Standard Illinois Environmental Protection Agency decontamination procedures were followed prior to the collection of all samples. The procedures included the scrubbing of all equipment (bailers, spoons, pans, etc.) with a non-foaming Trisodium Phosphate solution, rinsing with hot tap water, rinsing with acetone, rinsing with hot tap water again and final rinsed with distilled water. All equipment is air dried, then wrapped and stored in heavy duty aluminum foil for transport to the field. Field decontamination procedures include all of the above except the hot tap water rinse.

3.5 GROUNDWATER SAMPLING PROCEDURES

Four monitor well samples were collected on November 20, 1991 by Illinois EPA personnel. The numbering system used by Carus Chemical Company was also utilized by the IEPA to prevent confusion. See figures 3-1 and 3-2 for locations. Monitor wells G101, G103 and G106 were purged of five well volumes, with temperature, pH and specific conductivity readings taken prior to purging, during purging and prior to sampling. Well G112 is the background well and is located at the LaSalle Electrical Utilities NPL site which is approximately 1.2 miles north-northwest of Carus Chemical

Company. This well was purged earlier in the day by IEPA personnel and was sampled using the bailer that is dedicated to this well. After purging each well the water was transferred directly to the appropriate sampling jars provided by the Illinois Environmental Protection Agency's Contract Lab Program. None of the samples were filtered. Preservatives were added to the appropriate inorganic bottles after each was filled. Samples taken from the monitor wells were split with Mr. James Miller of Carus Chemical Company. No private wells were sampled. The following table lists the groundwater samples in the chronological order in which they were collected:

Table 3-2
Groundwater Sampling

Groundwater Samples collected on November 20, 1991:

G101

| Time 10:15am | Depth 24.5' | <u>Location</u> Along the western side of the Emergency Storage Area. |
|----------------------|----------------|---|
| <u>G103</u> 11:15 | 23.5' | Along the eastern side of the Emergency Storage Area. |
| G106 12:07pm | 32.0' | Southeastern area of the Emergency Storage Area. |
| G112 2:15pm | 12.5' | Southeast corner of the LaSalle Electrical Utilities Site, located approximately 1.2 miles north-northwest of Carus Chemical Company. |

Standard Illinois Environmental Protection Agency decontamination procedures were followed prior to the collection of all samples. The procedures included the scrubbing of all equipment (bailers, spoons, pans, etc.) with a non-foaming Trisodium Phosphate solution, rinsing with hot tap water, rinsing with acetone, rinsing with hot tap water again and final rinsed with distilled water. All equipment is air dried, then wrapped and stored in heavy duty aluminum foil for transport to the field. Field decontamination procedures include all of the above except the hot tap water rinse.

3.6 SURFACE WATER SAMPLING

No surface water samples were collected during the November 20 and 21, 1991 Screening Site Inspection of the Carus Chemical Company facility.

3.7 ANALYTICAL RESULTS

This section includes a summary of the analytical results of samples collected during the Screening Site Inspection conducted at the Carus Chemical Company facility in LaSalle, Illinois.

The field activities portion of the CERCLA Screening

Site Inspection included the collection of four groundwater, five soil and eight sediment samples by the Illinois
Environmental Protection Agency inspection team. The seventeen were collected to determine if any U.S. EPA Target Compound List compounds were present at the site or at potential receptors of concern. The Target Compounds Listing is provided in Appendix D of this report. Specific compound detection limits can be found in Appendix F (the analytical section) of this report. See figures 3-2 and 3-3 for specific sampling locations. During the course of the inspection the IEPA personnel were accompanied by Mr. James Miller, who represented Carus Chemical Company. Samples were split with Mr. Miller as requested.

Chemical analysis of four of the groundwater samples collected by the site inspection personnel revealed the presence of semi-volatile and inorganic substances. Analysis of the five soil samples collected during the inspection revealed elevated concentrations of the following substances: volatiles, semi-volatiles, pesticides, metals, suspected laboratory artifacts and common inorganic soil constituents. Sediment samples collected contained volatiles, semi-volatiles and metals. See Table F-1 for the summary of the sample results. Complete laboratory analytical data for the samples are provided in Appendix F of this report.

3.8 KEY SAMPLES

Samples collected during the Screening Site Inspection

of the Carus Chemical Company facility indicate
concentrations of contaminants at levels that are
significantly above background at certain sampling points.
The following tables indicate the key samples noted during
the Carus Chemical Company Screening Site Inspection. For a
more detailed sample analysis, refer to Table F-1 sample
summary located at the front of Volume 2 of 2 of this report.

SITE NAME Corus Chemical Co. ILD NUMBER 005477666

TABLE 3-3 Key Samples

| | (Sediments) | | | | | | | |
|----------------------------------|---------------------|------------|--------------|----------|----------|--|----------------|-----------|
| | | | | | | Pow " | | ,` |
| | | | | | | i de la composición dela composición de la composición dela composición de la composición de la composición dela composición de la composición de la composición de la composición dela composición de la composición de la composición de la composic | 2 6 3 | M. W |
| SAMPLING POINT | BACKGROUND X 208 | x 201 | x 202 | x 203 | x 204 | x 205 | x 206 | x 207 |
| Seeding Point | 11-21-91 | 11-21-91 | 11-21-91 | 11-21-91 | 11-21-91 | 11-21-91 | 11-21-91 | 11-20-91 |
| | | 1,1-6,1-71 | | 11 6. 71 | | | | |
| PARAMETER | | | | | | | | |
| | | | | | | | | |
| VOLATILES | | | | | | | | |
| Hethylene Chloride | 2 JB | 7.0 J | •• | •• | •• | •• | •• | •• |
| Acetone | 7 JB | •• | 80.0 E | •• | •• | 410 8 | 220 J | •• |
| | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg |
| SENIVOLATILES | | | | | | | | |
| Phenenthrene | 400 U | •• | •• | | •• | •• | 1400 | •• |
| Fluorenthene | 400 U | •• | | A | •• | | 2300 | •• |
| Pyrene | 400 U | •• | •• | •• | | •• | 2300 | •• |
| Senzo(a)anthracene | 400 U | •• | •• | •• | •• | •• | 1100 | |
| Chrysene | 400 U | •• | •• | •• | •• | •• | 1100 | •• |
| bis(2-Ethylhexyl)phthalate | 130 JE 400 U | •• | •• | •• | •• | 460 JB | 580 JB 1600 | •• |
| Senzo(b) fluoranthene | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Xg | ug/Kg |
| PESTICIDES | | | | | | | | |
| Araclar-1254 | 40 U | •• | •• | | 140 | •• | •• | 240 |
| Aractor-1260 | 40 U | •• | •• | | | •• | 1100 | 230 |
| | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg |
| TENTATIVELY (DENTIFIED COMPOUNDS | | | | | | | | |
| Ethane, 1,1,2-trichloro-1,2 | 13 | •• | •• | •• | •• | •• | •• | 48 |
| • | ug/Kg | ug/Kg | ug/Kg | Ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/Kg |
| INORGANICS | | | | | | | | |
| Atuminum | 3,430 | •• | 20,000 | •• | •• | •• | •• | •• |
| Arsenic | 4.5 | | | •• | •• | 31.5 | 37.7 | •• |
| Serium | 33.5 U | •• | 157 | 111 | 226 | 361 | 867 | 99.5 |
| Beryllium | 0.5 8 | •• | 1.5 | 2.3 | | •• | •• | •• |
| Cadmium | 1.3 | 36.8 | 22.8 | 15.3 | 5.1 | •• | 10.3 | 5.4 |
| Chromium | 6.0 | 19.9 | 39.3 | 37.5 | 21.3 | 57.1 | 41.9 | 19.5 |
| Cobel t Copper | 5.5 B 7.7 | 102 | 18.6 44.3 | 186 | 49.1 | 185 | 18.4 E 383 | 73.4 |
| tron | 8,600 | | •••• | 46,000 | | ••• | | , , , , , |
| Leed | 7.6 | 594 | 1,050 | 733 | 262 | 69.8 | 326 | 343 |
| Kanganese | 520 | •• | •• | 1,580 | | 17,000 | 28,900 | 2,030 |
| Recoury | 0.074 U | 0.53 | •• | 0.35 | | 0.27 | 0.29 | •• |
| Nickel . | 7.4 | •• | 28.9 | 85.4 | •• | 50.4 | 91 | •• |
| Potessium | 733 B | •• | 3,350 | | •• | | •• | 6,670 |
| Sodium | 171 B | •• , | •• | | •• | 808 B | 842 B | 3,960 |
| Vanedium | 8.7 | •• | 43.9 | 65.8 | •• | 57.5 | 49.6 | •• |
| Zinc | 60.2 | 6,500 | 4,630 | 6,290 | 1,570 | 609 | 2,790 | 1,810 |
| Cyanide | 0.26 U | •• | 1.3 | •• | •• | | •• | |
| Sulfide | 1.0 U | •• | 16 | •• | | 140 | •• | •• |
| | ma/Ka | ma/Ke | en/Xa | en/Kg | me/Xe | me/Ka | ma/Xe | ma/Ye |

.

SITE NAME Carus Chemical Co. ILD MUMBER 005477666

TABLE 3-4 MEY SAMPLE SUBMARY (Groundwater and Soil)

| • | BACKGROUMO | | | | BACKERGUNG | | | | |
|----------------------------------|-----------------|-----------|-----------|----------------|-----------------|----------|----------|----------------|---------------|
| SAMPLING POINT | G 112 | £ 101 | G 103 | G 104 | X 101 | x 102 | x 103 | x 104 | x *133 |
| Secure Control | 11-20-91 | 11-20-91 | 11-20-91 | 11-20-91 | 11-20-91 | 11-20-91 | 11-21-91 | 11-21-91 | 11-20-91 |
| PARAMETER | | | | | | | | | |
| VOLATILES | | | | | | | | | |
| Acetone | 10 U | •• | •• | •• | 13 U | •• | •• | •• | 53 |
| | ug/L | ug/L | ug/L | ug/L | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug /1; |
| SEHLYOLATILES | | | | | | | • | | |
| fluoranthene | 10 U | •• | •• | •• | 420 U | 1200 | •• | , | •• |
| Pyrene | 10 U | •• | •• | •• | 140 』 | 1200 | •• | •• | •• |
| · | ug/L | ug/L | ug/L | ug/L 🏞 | ug/Kg | ug/Eg | ug/Kg | ug/Kg | ug, Kş |
| PESTICIDES | | | | | | | | | |
| Aroctor-1254 | 1.0 U | •• | •• | •• | 42 U | 2800 | •• | •• | 220 |
| Aroci or-1260 | 1.0 U | •• | •• | •• | 42 U | 1100 | •• | •• | 170 |
| | ug/L | ug/L | ug/L | ug/L | ug/Kg | ug/Kg | ug/Kg | ug/Kg | ug/C; |
| TENTATIVELY IDENTIFIED CONFOUNDS | | | | | | | | | |
| Ethane, 1,1,2-trichloro-1,2 | •• | •• | •• | •• | 13 | •• | •• | •• | 43 |
| Hexanoic acid, 2-ethyl- | •• | •• | •• | | •• | 120 | •• | | •• |
| , | ug/L | ug/L | ug/L | ug/L | ug/Kg | ug/Kg | ug/Kg | ug/Kg | uş (; |
| INORGANICS | | | | | >> | | | | |
| Aluminum | 3,400 | 48,300 | 123,000 | 55,000 | 18,400 | •• | •• | | •• |
| Arsenic | 3.0 U | 21.1 | , | | 15.3 | •• | 245 | •• | •• |
| Berium | 166 | •• | 2530 | | 148 | •• | 820 | | •• |
| Berytlium | 1.8 | •• | 13 | 5 8 | •• | •• | •• | | •• |
| Cadmium | 2 8 | 37 | 19 | 35 | 13.4 | | 40.5 | 70.7 | •• |
| Calcium | 200 U , | •• | 455,000 | 454,000 | 4,890 | 44,400 | 32,200 | •• | \$4,900 |
| Chronium | 7 B | 57 | 248 | 121 | •• | •• | •• | | |
| Cobelt | 10 B | 47 B | 71.1 | 74 | •• | •• | | | •- |
| Copper | 27 | 100 | 249 | 385 | 28.6 | 409 | 278 | 417 | •• |
| [ren | 6,110 | 33,800 | 206,000 | 84,600 | | •• | | 730 | •• |
| Lead | 9.0 U | 448 | 179 | 109 | 80.8 | | 38,700 | | |
| Hagnes i um | 61,000 | | 195,000 | •• | 2,580 | 35,600 | •• | | 19,700 |
| Hongonese | 260 | 3,700 | 14,400 | 9,110 | 804 0.095 U | 118,000 | | 2,510 1.3 | 12,700 |
| Hercury Nickel | 0.20 U 24 B | 1.6 75 | | | 9.075 U 14.1 | 4.7 | | 1.3 | •• |
| Alcket Potassium | | | 207 | 116 133,000 | 14.1 | | | •• | 6,310 |
| Silver | 8,360 | 33,800 | 46,100 | 122,000 | 1,790 | 20.6 | | •• | 0,3.4 |
| Sadium | 165,000 | •• | 2.002,000 | 215,000 | 1,5 U | 20.0 | | •• | •• |
| Yanadium | 165,000 12 B | | 2,002,000 | 215,000 92 | •• | •• | | •• | •• |
| Zinc | | 62 | | - | | •• | | | •• |
| Zinc Sulfate | 22 8 174,000 | 3,320 | 3,640 | 17,100 | 1,200 10 | 254 | 274 | 43,700 89.5 | 294 |
| 341 18C8 | - | 1,060,000 | 1,480,000 | 2,080,000 | | | | | |
| | vg/ L | ug/L | ug/L | ug/L | mg/Kg | mg/Kg | mg/Kg | mg/Kg | mg/tş |

_

4. IDENTIFICATION OF SOURCES

4.1 Introduction

In this section the author will briefly discuss the various hazardous waste sources which have been identified in the initial stages of the CERCLA site investigation.

Information concerning the size, volume, and waste composition of each source has been derived throughout the initial site assessment, reconnaissance visits, and the screening site inspection sampling action. It should be pointed out, however, that the total number and nature of each of the sources identified below may be subject to change, as the site progresses through the CERCLA site investigation program and receives further investigation.

4.2 Emergency Storage Area

The Emergency Storage Area is located east of the manufacturing facilities and is designed to hold approximately 2,644,000 gallons. It is designed to hold storm water and runoff on an emergency basis and consists of a lined pond of approximately two acres in area. Samples of the three monitoring wells (G101, G103 and G106) located around the pond indicate that the groundwater contains analytically significant levels of a number of inorganic substances, including arsenic, barium, cadmium, lead, manganese, mercury, zinc and sulfate as well as other metals.

Pathways of concern include groundwater and surface water.

4.3 South Settling and Treatment Pond

This pond is approximately four acres in area and is used to hold process and runoff water before it is discharged via an overflow pipe into the Little Vermilion River.

Sediment samples collected from this pond contained analytical significant levels of the semi-volatiles phenanthrene, fluoranthene, pyrene, crysene, benzo (a) anthracene, benzo (b) fluoranthene and. Also present were significant quantities of various metals, including arsenic, barium, chromium, copper, lead, manganese, mercury and zinc. The pathways that are potentially at risk are groundwater and surface water.

4.4 Cinder and Slag Area.

In the northeastern portion of the Carus Chemical
Company site is an area that consists of slag and cinders
that were apparently deposited over the years by the zinc
processing company located adjacent to Carus Chemical on the
north. The exact depth and area of deposit is unknown,
however, there appears to be evidence that a substantial
amount of the eastern part of the site has been filled with
cinders and other debris. An inspection of aerial photographs
of the site obtained from the Illinois Department of
Transportation suggest that there are approximately 5.5 acres
of fill material at the norteastern corner of the Carus
Chemical Company site. Well logs of the monitoring wells,

located approximately 400 feet west, indicate that cinders were encountered during their drilling. Analytically significant levels of metals were present in soil samples collected in this area. These include antimony, arsenic, cadmium, copper, lead, mercury and zinc. Pathways of concern include: groundwater, soil exposure and surface water.

4.5 Former Filter Bag and Drum Storage Area.

Filled filter bags and drums were stored in the southeastern part of the site used for manufacturing and covered approximately 2500 square feet. Soil sample X102 contained analytically significant levels of the semi-volatile compounds fluoranthene and pyrene. The pesticides Arochlor-1254 and Arochlor-1260 were also present as well as the metals copper, calcium, magnesium, manganese and nickel. Pathways of concern include groundwater, surface water, soil exposure and air.

4.6 Potential Waste Piles

Carus Chemical Company has been in operation at the same location since 1915 and little is known about the early waste disposal practices of the company or the zinc facility to the north. The zinc operation has been in business longer than Carus and environmental problems may be present due to the nature of the substances used and produced over the years. The Screening Site Inspection of the Carus Chemical Company indicate that there are areas contaminated with heavy metals and coal tar derivatives and the potential exists that there are other areas onsite that are at present unknown.

5. MIGRATION PATHWAYS

5.1 INTRODUCTION

This section includes data and information that may be useful in analyzing the Carus Chemical Company sites' impact on the four migration pathways identified in CERCLA's hazard ranking system (HRS). The migration pathways which will be analyzed in this section include groundwater, surface water, air and soil exposure.

5.2 GROUNDWATER

Groundwater samples were collected from four monitor wells. The results from the four monitor wells indicate an observed release to groundwater that is attributable to the site. The compounds found three times background concentrations or above detection limits are shown in Table 3-3. Sampling location G112 represents the background monitoring well. No private wells are known to exist near the site and hence none were sampled.

The geology of the Carus Chemical Company area is characterized by Wisconsin glacial till overlying the bedrock. The bedrock consists of fractured Silurian and Ordovician-age dolomites and the St. Peter sandstone. The nearest documented well from the site is .7 mile south and is one of a cluster of four wells used to supply the city of LaSalle. These wells are from 60 to 70 feet deep and draw

from the sand and gravel aquifer. The city of Peru, located adjacent to LaSalle on the west, draws its water from the St. Peter sandstone at depths from 2,591 to 2,764 feet. There are approximately 26,000 people using groundwater within a four mile radius of the site. The approximate population that use groundwater derived from aquifers in the area around Carus Company is:

| Distance (miles) | <u>Population</u> |
|------------------|-------------------|
| 0 to 1/4 | 0 |
| >1/4 to 1/2 | 0 % |
| >1/2 to 1 | 9,467 |
| >1 to 2 | 132 |
| >2 to 3 | 11,208 |
| >3 to 4 | 5,240 |

5.3 SURFACE WATER PATHWAY

No surface water samples were collected during the
November 20 and 21, 1991 Screening Site Inspection of the
Carus Chemical Company site. Almost all drainage from the
site flows east and enters the little Vermilion River either
directly or via overflow from the south settling pond. The
water flows south for three quarters of a mile and enters the
Illinois river, where it then flows west. Illinois
Environmental Protection Agency records do not document the
existence of any surface water drinking intakes along the 15mile surface water route downstream of the site. Both the
Little Vermilion and Illinois Rivers are used for

recreational purposes. There are approximately 13.4 miles of total wetland frontage along the 15-mile surface water route from the site, with the nearest wetland being the approximately four acre south settling and treatment pond that is located onsite. Illinois Department of Conservation records indicate that the nearest environmental sensitive area is located approximately 13 miles downstream from the site at the DePue Lake Conservation area. According to the Flood Insurance Rate Map for LaSalle, the site is located above the 500 year flood stage.

5.4 AIR PATHWAY

No documented releases to the air were observed in the breathing zone during the CERCLA Screening Site Inspection. A photo-ionization detector (HNU) with an 11.7 eV lamp was used to determine the presence of certain air-borne contaminants. No readings were observed over background levels. The potential for windblown particulates to carry contaminants off-site is possible since contaminants were found in the top six inches of soil on-site. The west portion of the site is still active with traffic consising primarily of trucks and material handling devices. This area contains sparse vegetation and is covered by large ares of gravel. The eastern part of the site contains areas of vegetation but the ruggedness of the terrain limits growth primarily to the less steep areas or areas that do not consist of exposed cinders and slag. Approximately 27,000 people live within a four mile radius of the site. The approximate population

living within a four mile radius of the site is:

| Distance (miles) | <u>Population</u> |
|------------------|-------------------|
| on-site | 105 |
| 0 to 1/4 | 1,035 |
| >1/4 to 1/2 | 2,069 |
| >1/2 to 1 | 6,229 |
| >1 to 2 | 6,965 |
| >2 to 3 | 8,212 |
| >3 to 4 | 3,099 |

5.5 SOIL EXPOSURE

Soil samples taken during the Screening Site Inspection indicate an observed release to the soil exposure pathway by contaminants that are attributable to the site. However the site is not easily accessible. The facility is still active and entrance to the site by vehicle is through a guarded gate off of Eighth Street. The facility is surrounded by a fence along the south, west and north sides. The Little Vermilion River forms the east boundary of the property and its steep banks would limit any trespassing to foot traffic. The nearest individual (residence) is located 200 feet southwest of the site. A review of USGS topographic maps, reconnaissance visit, and U.S. Census data indicate that approximately 9,400 people live within a one-mile radius of the site. This estimate is based on the population of the cities of Peru and LaSalle and unincorporated area and average person-per-household of LaSalle county.

6. BIBLIOGRAPHY

- Illinois Environmental Protection Agency, 1991, Site
 Preliminary Assessment for Carus Chemical Company,
 ILD 005477666, prepared by Robert Casper, Springfield,
 Illinois.
- Illinois Department of Conservation, June 12, 1991. Letter from Mr. Richard Lutz to Mr. Robert Casper of the Illinois Environmental Protection Agency concerning sensitive environments near Carus Chemical Company.
- Illinois Department of Energy and Natural Resources, State Water Survey, water well records of wells in LaSalle County, Sections 1-3, 9, 11, 12, 22, 26, 28, 29, 34 and 35, T33N, R1E; Sections 5-8, 17, 20, 29 and 30, T33N, R2E; Sections 25-29, 32, 33, 35 and 36, T34N, R1E; and Sections 29-32, T34N, R2E.
- Illinois Department of Transportation, May 24, 1991. Order for aerial photographs of Carus Chemical Company.
- United States Department of the Interior, National Wetlands Inventory maps for Ladd, LaSalle, Spring Valley and Troy Grove, IL. Quadrangles, 7.5 Minute Series.
- U.S. Census Bureau, 1990, Average persons per household in LaSalle County, Illinois.
- USGS, 1966, Ladd, IL. Quadrangle, 7.5 Minute Series.
- USGS, 1979, LaSalle, IL. Quadrangle, 7.5 Minute Series.
- USGS, 1979, Spring Valley, IL. Quadrangle, 7.5 Minute Series.
- USGS, 1979, Troy Grove, IL. Quadrangle, 7.5 Minute Series.

SDMS US EPA REGION V FORMAT- OVERSIZED - 5 IMAGERY INSERT FORM

The item(s) listed below are not available in SDMS. In order to view original document or document pages, contact the Superfund Records Center.

| SITE NAME | MATTHIESEN & HEGELER ZINC |
|---------------------------|--|
| DOC ID# | 146317 |
| DESCRIPTION OF ITEM(S) | MAPS |
| REASON WHY UNSCANNABLE | _X_OVERSIZED ORFORMAT |
| DATE OF ITEM(S) | 1966-1979 |
| NO. OF ITEMS | 2 |
| PHASE | SAS |
| PRP | RMD - MATTHIESEN & HEGELER ZINC |
| PHASE (AR DOCUMENTS ONLY) | RemedialRemovalDeletion DocketAROriginalUpdate #Volumeof |
| O.U. | |
| LOCATION | Box # Folder # Subsection <u>C3</u> |
| | COMMENT(S) |
| | - GROUNDWATER 4-MILE RADIUS MAP K B - SURFACE WATER ROUTE MAP |

APPENDIX A

GROUNDWATER 4-MILE RADIUS MAP

APPENDIX B

SURFACE WATER ROUTE MAP

APPENDIX C

USEPA FORM 2070-13



Site Inspection Report

\$EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 1 - SITE LOCATION AND INSPECTION INFORMATION

OF STATE OF STE MANSER
TLD 005477 666

| OCIA | PART 1 - SITI | E LOCATION AND IN | SPECTION INFORM | ATION ILD | 005477 666 |
|-----------------------------|-----------------------------------|--|----------------------|-----------------------|------------------------------------|
| I. SITE NAME AND LOCA | | 100 | ATTACK BOX OF THE | | |
| C ARUC CUI | | 7 | | TH CTOST | |
| War | EMICAL COM | 04 | STATE OS DE COCE | TH STREET | |
| La Salle | | 2 | EL 61301 | | 07004 05: 0004 05: 099 IL=14 |
| 4/ 20 05.0 | 089 05 <u>00.0</u> | IG TYPE OF OWNERSHIP A RA, PRIVATE G. F. OTHER | 8 FEDERAL | C C STATE C D. COUNT | Y O E. MUNICIPAL |
| ML INSPECTION INFORMA | | OJ YEARS OF OPERATION | | | |
| 11 ,20,91 | OZ SITE STATUS ACTIVE O NACTIVE | 191 | · - | UNKNOW | X |
| 04 AGENCY PERFORMING INSP | | | <u> </u> | • | |
| DIALEPA DIBLEPACO | | name of Ame | C. MUNICIPAL D. D. N | IUNICIPAL CONTRACTOR_ | (Plante of Gray |
| XE STATE OF STATE | CONTRACTOR | | G. OTHER | Secretary) | |
| GS CHIEF INSPECTOR | | GE TITLE | | 07 ORGANIZATION | 08 TELEPHONE NO |
| ROBERT C | ASPER | EPS | . A. | IEPA | ו ארץ-בפדורעט |
| OB OTHER INSPECTORS | | 10 MLE | | 11 ORGANIZATION | 12 TELEPHONE NO. |
| GREG DUN | <i>'N</i> | EPS: | | IEPA | 12/71782-676/ |
| TIMOTHY I | MURPHY | EPS | | IEPA | 12171782-6761 |
| KIM NIK | A | ERS | | IEPA | 12/71782-6761 |
| | | | | | () |
| | | | | | () |
| 13 SITE REPRESENTATIVES INT | ERVEWED | 14 TITLE | 15A009655 | | 16 TELEPHONE NO |
| HORST AD | OLF | DIRECTOR O | | GHTH STREET | 18/5) 224-682 |
| JAMES MILL | ER P.E. | SENIOR PROTECT | | | 68127-4-6812 |
| | | PIRECTOR | | | |
| DAVID COV | <u>ey</u> | PLANT SUPPOSTS | eons (| | 18157224-682 |
| | | | | | () |
| , <u> </u> | | | | | () |
| | | | | | () |
| | | | | | |
| 17 ACCESS GAMED BY | 16 TIME OF REPECTION | 18 WEATHER CONDITI | Ores . | | |
| © PERMISSION © WARRANT | 9:00 AM | MOSTLY C | CLOUDY , TEMI | 0 40°F | |
| IV. INFORMATION AVAIL | ABLE FROM | | | | |
| | | 02 OF :Apprenia | | · — - - | OJ TELEPHONE NO |
| HORST ADOLF | | | EHICAL COMPA | y | 1815 1224-6827 |
| ROBERT C | | IEPA | LPC | 217-782-676 | OS DATE |
| EPA FORM 2070-13 (7-81) | | | | 1 0/6 | MONTH DAT TEAR |

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 2 - WASTE INFORMATION

LIDENTIFICATION

01 STATE | 02 SITE NAMER

TLD | 005 477 666

| L WASTE ST | ATES, QUANTITIES, AN | O CHARACTERS | ncs | | | | |
|-------------|---|--------------|--|----------------------|----------------------------|----------------------------|----------------|
| TA SOLD | CAL STATES (Character of our warm) CLID C E. SLUMBY OWDER, FNES C F LIGHT OWDER C G. GAS CUSC YARDS | | C 8 CORROSIVE C F INFECTIOUS C J EXPLO C C RADIOACTIVE C G PLANDAGLE C K REACT EXD. PERSISTENT C H EINITABLE C L INCOM | | BLE CINDALY VITOUR CIERTOS | OSIVE CTIVE MPATIBLE | |
| | (Beauty) | NO. OF DRUMS | | | | | |
| IL WASTET | YPE | | | | | | |
| CATEGORY | SUBSTANCE > | w.e | 01 GROSS AMOUNT | DZ UNIT OF WEASURE | 03 COMMENTS | | |
| SLU | SLUDGE | | | | | | |
| OLW | OILY WASTE | | · | - | | | |
| 5 0L | SOLVENTS | | | | | | |
| PSO | PESTICIDES | | YNKNOWN | | | | |
| ∞c | OTHER ORGANIC C | | UNKNOWN | | | | |
| × | MORGANIC CHEMI | CALS | UNKNOWN | | | | |
| ACD | ACIDS | | | | | | |
| 843 | BASES | | | | - | ·· | |
| WES | HEAVY METALS | | UNHNOWN | L | <u></u> | | |
| | OUS SUBSTANCES | | 03 CAS MUMBER | 04 STORAGE DIS | POSAL METI-CO | 05 CONCENTRATION | OR WE ASUME OF |
| O CATEGORY | 02 SUBSTANCE | | 11097-69-1 | 5014 | | 2800 | PPA |
| <u>PSD</u> | AROCLOR - | | 11096-82-5 | | | | |
| PSD_ | AROCLOR - | | 85-01-8 | SOIL | | 1100 | PPB |
| 000 | PHENANTHREN | | 206-44-0 | SEDIMENT SEDIMENT | | 1400 | 1906 1906 |
| oci | PLUORANTHE PYRENE | <i>NE</i> | 129-0-0 | | | 2300 | 1 |
| | | | 1 - | | | 1600 | PPb |
| 000 | BENZO (b) FLO | JOKAN I HENE | 7440-39-2 | SOIL | | 245 | PPM |
| MES | ARSENIC | | 7440-39-3 | SEDIMENT | | 867 | APM |
| MES | RARIUM | | 7440-43-9 | SEDIMENT | | 70-7 | MM |
| MES | CARMIUM | | 7440-47-3 | · | | 248 | PPB |
| MES | COPPER | | 7440-50-8 | SEDIMENT | , - , - | 383 | PPM |
| MES MES | LEAD | | 7439-92-1 | SOIL | | 38 700 | pom |
| MES | MANGAMESÉ | | 7439-96-5 | | | 118,000 | CPM |
| MES | MERCURY | | 7439-97-6 | SOIL | | 1.3 | PPM |
| MES | 子ルン | | 7440-66-6 | | · | 43,700 | PPM |
| 100 | SULFATE | | | GROUNDL | ATER | 2,080 000 | PPB |
| | OCX8 /see Aures or CAS Par | | <u></u> | | | | |
| CATEGOR | | | 02 CAS HUMBER | CATEGORY | O' FEED | STOCK NAME | OZ CAS NUMBER |
| FOS | | | 1 | FDS | | | |
| FOS | | | 1 | FDS | | | |
| FDS | | | † | FDS | | | |
| FD6 | | | | FOS | | | |
| VI. SOURC | ES OF INFORMATION & | | | · /0000701 | | | |
| IEPA | LAND DIL | ISION FI | LES | | | | |
| LABOR | ATORY RES | ULTS OF | INSPECTI | ON 0= 1 | UOVEMBER | 20 AND 21, | 1991 |

≎EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

| | | TECATION |
|---|-------|------------------------------|
| 尘 | STATE | 00 STE HANDER 005 477 666 |

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

| L HAZARDOUS CONDITIONS AND INCIDENTS |
|---|
| 01 CLA GROUNOWATER CONTAMINATION 26,000 02 CLOSSERVED (DATE |
| · |
| ALL DRIVAING WATER WITHIN A FOUR-MILE RADIUS OF THE |
| SITE IS DERIVED FROM WELLS. |
| 01 C 8 SURFACE WATER CONTAMINATION 02 C OBSERVED (DATE |
| LITTLE VERMILION RIVER BORDERS CARUS CHEMICAL COMPANY ON |
| THE EAST. NO MNOWN SURFACE WATER INTAKES WITHIN IS MILES. |
| 01 C CONTAMINATION OF AR 02 C OBSERVED (DATE |
| NONE DOCUMENTED OR OBSERVED. |
| 01 C 0 FIRE EXPLOSIVE CONDITIONS 02 C OBSERVED (DATE |
| 03 DO POPULATION POTENTIALLY AFFECTED 04 NARRATIVE DESCRIPTION C POTENTIAL C ALLEGED |
| NONE DOCUMENTED OR OBSELVED. |
| 01 G E DIRECT CONTACT 02 G OBSERVED (DATE |
| NONE DOCUMENTED OR OBSERVED. |
| 01 C F CONTAMINATION OF SOIL 33-0 03 AREA POTENTIALLY AFFECTED 33-0 04 NARRATIVE DESCRIPTION 05 POTENTIAL CALLEGED |
| ORGANIC AND INORGANKS WERE FOUND AT VARIOUS PUINTS AT THE FACILITY. |
| 01 C G DRINKING WATER CONTAMINATION 26,000 02 C OBSERVED (DATE) C POTENTIAL C ALLEGED 04 NARRATIVE DESCRIPTION |
| ALL DRINKING WATER WITHIN A FOUR MILE RADIUS IS OBTAINED |
| FROM GRUUDWATER. |
| 01 C H WORKER EXPOSURE-NURY 02 C OBSERVED (DATE) D POTENTIAL C ALLEGED 03 WORKERS POTENTIALLY AFFECTED 04 NARRATIVE DESCRIPTION |
| NONE DOCUMENTED OR OBSERVED |
| 01 C POPULATION EXPOSURE/INJURY 02 C OBSERVED (DATE) D POTENTIAL C ALLEGED 03 POPULATION POTENTIALLY AFFECTED 04 NARRATIVE DESCRIPTION |
| NONE DOCUMENTED OR OBSERVED. |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L IDENTIFICATION TUD OOS 477666

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS L HAZARDOUS CONDITIONS AND INCIDENTS COMME C POTENTIAL 02 C OBSERVED (DATE _____) C ALLEGED O1 DAMAGE TO FLORA 04 NATIVE DESCRIPTION NOVE DOCUMENTED OR OBSERVED. C POTENTIAL C ALLEGED 02 C OBSERVED (DATE. _____ 01 C K. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION INCLUS CONTROLS NONE DOCUMENTED OR OBSERVED. C POTENTIAL C ALLEGED 02 C OBSERVED (DATE _____ 01 D L CONTAMINATION OF FOOD CHAIN _ 1 04 NARRATIVE DESCRIPTION NONE DOCUMENTED OR OBSERVED. 02 C OBSERVED IDATE ___ _ POTENTIAL **Z ALLEGED** 01 C M UNSTABLE CONTAINMENT OF WASTES 04 NARRATIVE DESCRIPTION 03 POPULATION POTENTIALLY AFFECTED NONE DUCUMENTED OR OBSERVED. 02 COBSERVED (DATE ______) C POTENTIAL C ALLEGED 01 C N DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION NOVE DOCUMENTED OR OBSERVED. 01 C O CONTAMINATION OF SEWERS, STORM DRAINS WWTP& 02 COBSERVED (DATE ______) = POTENTIAL T ALLEGED 04 NARRATIVE DESCRIPTION NOVE DOCUMENTED OR OBSELVED. 02 COSSERVED IDATE ____ - POTENTIAL _ ALLEGED 01 C P ELEGAL UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION NOVE DOCUMENTED OR OBSELVED. 05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS NONE KNOWN. IL TOTAL POPULATION POTENTIALLY AFFECTED: 26,000 N. COMMENTS V. SOURCES OF INFORMATIONICES SPECE POPPORES & 9 MINO 1000 SEPTEM PROPERTY PROPERTY.

IEPA FILES SCREENING SITE INSPECTION OF NOVEMBER 20 +21, 1991. SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION

| L IDENT | FICATION |
|---------|------------|
| TLD | 005 477666 |

| ACLM | PART 4 - PERMIT | AND DESCRIP | | ION [2 | LD 005477666 |
|--|-----------------------------------|---------------------------------------|------------------------|---------------|------------------------|
| A. PERMIT INFORMATION | | | | | |
| OI TYPE OF PERMIT HAUED | OZ PERMIT NUMBER | DE STAO CO | ON EXPERATION DATE | OS COMMENTS | |
| C A NPOES | IL0002623 | 5-29-91 | 1-1-96 | DISCHARGE | TO WITLE VERNILION FIN |
| □ B UIC | NONE | | _ | 777.00 | TO THE VERYLIAL FILE |
| C.C. AM | 88100062 | 4-9-90 | 4-95 | RUPLER + | CONCELTRATOR |
| C D. RCRA | NOVE | - | | 2-2-62 | 45/104/102 |
| CE RCRA INTERIM STATUS | NUNE | | | | |
| CF SPCC PLAN | LOVE | | | | |
| C. Q. STATE | 1987=13-4176 | 12-11-87 | - | GALTAINE | IERT PALD |
| CH LOCAL SOUTH | 1/2 | 701-91 | 1-30-92 | | |
| ☐ 1. OTHER (Speedy) | | 10// | 0 30 / - | 1011 4 07 60 | SALLE WASTELLTER PERMI |
| DJ. NONE | | | | | |
| III. SITE DESCRIPTION | | · · · · · · · · · · · · · · · · · · · | <u> </u> | <u> </u> | |
| | 02 AMOUNT G3 UNIT OF | MEASURE 04 F | REATMENT (Char) at Par | | OS OTHER |
| TA SURFACE IMPOUNDMENT _ | ~6 .9CR | FS | • | 11 | 4.41.41 |
| DE PILES | NS.5 ACR | <u> </u> | NCENERATION | | A BUILDINGS ON SITE |
| C C DRUMS, ABOVE GROUND | | | UNDERGROUND INJ | | 4 |
| C D TANK, ABOVE GROUND | | | . BIOLOGICAL | ~ | MANUFACTURING-> |
| C E. TANK, BELOW GROUND | | - | WASTE OIL PROCES | es es | WAREHOUSES |
| C F LANDFILL | | | SOLVENT RECOVER | _ | |
| C G LANDFARM | | 1 7 | OTHER RECYCLING | | ~33 |
| C H OPEN DUMP | | | OTHER | | |
| C I OTHER | | | . \$6 | | į. |
| 07 COMMENTS | | | | | <u> </u> |
| SITE CONTAINS DEPOSITION- | Two PONOS | AND | AN AREA | of SL | AG AND CINDER |
| IV. CONTAINMENT | | | | | |
| 01 CONTARMENT OF WASTES (Comm orange) | | | | | |
| C A. ADEQUATE, SECURE | C B. MODERATE | C. BADE | NATE, POOR | C D. INSECU | RE, UNSOUND, DANGEROUS |
| 02 DESCRIPTION OF DRUMS, DIKING, LINERS, | BARRERS FTC | | | | |
| EMERGENCY STORAG | | TRUCTED | WITH CLA | y liner | |
| V. ACCESSIBILITY | | | | | |
| 01 WASTE EASILY ACCESSIBLE YE | is grun | | | | |
| 02 COMMENTS | 3 A W | | | | |
| | | | | | |
| VI. SOURCES OF INFORMATION (Co. | moths electricis a 8 mms and made | | | | |
| IEPA FILES- | | | | | - |
| | | | | | |

POTENTIAL HAZARDOUS WASTE SITE

L DENTFICATION

| VERA | PART S - WATER | SITE INSPECT I, DEMOGRAPHK | | IMENTAL DATA | IW 005 477666 |
|--|----------------------------------|---|---|-------------------------|----------------------------------|
| e drinking water supply | | | | | |
| OI TYPE OF DIPPORA SUPPLY | | OZ STATUS | | | 03 DISTANCE TO SITE |
| SURFA | - - | ENOMIGERE | D AFFECTED | MONITORED | フ |
| COMMUNETY A. C | - | A.O | 8. 0 | ¢.0 | A |
| NON-COMMUNITY C. D | 0. 0 | 0.0 | E. O | F. O | B(m0) |
| IL GROUNOWATER | | | · | | |
| OI GROUNDWATER USE IN VICINITY IS | | | | | |
| XA CHAY SOURCE FOR DRINKIN | | NOUSTRAL PRODATION | April agrar | IAL NOUSTRUL PRICAT | TON . C) D. NOT URED, UNUISEABLE |
| 02 POPULATION SERVED BY GROUNG | WATER 26,000 | _ | 03 DISTANCE TO HE | VAEST DRINKING WATER Y | meti |
| 04 DEPTH TO GROUNDWATER | 05 DIRECTION OF GR | WOJA RETAWORUO | 06 DEPTH TO AQUIFE | | D 06 SOLE SOURCE AGUIFER |
| 60 m | YUKNO | مرس | OF CONCERN | OF ADUFER | O YES TWO |
| | | | | (m) | _ (ppd) |
| OR DESCRIPTION OF WELLS (PRIMARY W | loogo, puon, ere action resurs (| | (D. 4) (D. | A | L AT DEVITHS OF GOTO |
| La Salle WELL | J Unicize | 176 376 | משקה טי | APUIFE | E AT DEVIAS OF BOTO |
| 70 FEET AND | ARE LOCATED | TOPTER CA | SOUTH. | T DESTUC AS | 7,591 TO 7,764 POET |
| PERU WELLS DLAW AND ARE LOUAT | FRUA THE ST | FROM THE | 5,TE- | שברוף כו | 9,5 // 10 9,7 8 / 1 |
| 10 RECHARGE MEA | <u></u> | ,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u> | 11 DISCHARGE ME | <u> </u> | |
| EYES COMMENTS | | | EYES COMM | ENTS | |
| CNO SURFACE SO | PILS | | DW ILL | INDIS RIVER | L |
| IV. SURFACE WATER | | | | | |
| O1 SURFACE WATER USE (Choca and) | | | | | |
| A RESERVOIR RECREATE ORDINARY WATER SOUR | C B. IRRIGATI | ION. ECONOMICALL' ANT RESOURCES | T C. COMME | RCIAL WOUSTRIAL | C 0 NOT CURRENTLY USED |
| 02 AFFECTED POTENTIALLY AFFECT | ED BODIES OF WATER | | | | |
| NAME. | | | | AFFECTED | DISTANCE TO SITE |
| (· · · · · | 1101. 011.50 | | | | 0.0 |
| LITTLE VERNI | CION KINEIC | | | 3 | (/70) |
| ILLINOIS RIVE | <u> </u> | | | হ | 0-75 (m) |
| | | | | | (mi) |
| V. DEMOGRAPHIC AND PROF | ERTY INFORMATION | | | | |
| 01 TOTAL POPULATION WITHIN | | | | 02 DISTANCE TO HEAD | NEST POPULATION |
| ONE (1) MILE OF SITE A 9 43.9 W OF TINOM | B 16,403 | | (3) MILES OF SITE 2 4.6/5 40 of Fusions | 0. | 04 (m) |
| 03 NUMBER OF BUILDINGS WITHIN T | WO (2) MILES OF SITE | · · · · · · · · · · · · · · · · · · · | 04 DISTANCE TO N | LAREST OFF-SITE BUILDIN | G |
| | trour | | | 0.0) | / (m) |
| 05 POPULATION WITHIN VICINITY OF | | | | - | ~ |
| SITE IS BORE | PERED BY H | Jouses o | N THE E | AST AND | SOUTH SIDES. |
| HOUSES CONSIS | T OF SINGL | E FAMIL | y DWELL | INGS. TOT | AL POPULATION |
| WITHIN A 4 | -MILE RAI | NUS OF T | HE SITE | 15 APPRIL | MATELY |

27, 700 GEOPLE-

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION

OI STATE OF SITE MARGEN

TLD 005 477 664

| ACLA | PART 5 - WATER, DEMOGRAPHI | C, AND ENVIRONMENTAL DATA | D 005 477 666 |
|---|--|--|---------------------------------|
| VI. ENVIRONMENTAL INFORMA | | | |
| OI PERMEABUTY OF UNSATURATED 2 | | | |
| □ A. 10 ⁻⁴ = 10 ⁻ | * cm/sec | C. 10-4 - 10-3 crivesc C D GREATER THAN | 10-3 cm/sec |
| OZ PERMENBUTY OF BEDROCK ICHMA | | | |
| A. MPERI Teas Par | MEABLE C B. RELATIVELY EMPERMEABL | E C. RELATIVELY PERMEABLE D. D. VERY | PERMEABLE page 18 * 1 amount |
| 03 DEPTH TO BEDROCK | 04 DEPTH OF CONTAMINATED SOIL ZONE | 05 SOL an | |
| 95 | 4Nt NOWN | UNTROUN | |
| DE MET PRECIPITATION | 07 ONE YEAR 24 HOUR RANGAL | SITE SLOPE DIRECTION OF SITE SLOPE | TERRAN AVERAGE & COL |
| + 2.0 (in) | <u>2-5</u> (in) | 30-60 Taigros THE EAST | >30 |
| SITE IS IN 500 YEAR FLO | C SITE IS ON BARRI | ERISLAND. COASTAL HIGH HAZARD AREA, RIVER | INE FLOODWAY |
| 11 DISTANCE TO WETLANDS IS NO POR | | 12 DISTANCE TO CRITICAL HABITAT IN COMPANY | |
| | | >15 | |
| ESTUARINE | OTHER | | _ (ml) |
| A(mi) | 8 <u>0-0</u> (me) | ENDANGERED SPECIES: | |
| 13 LANGUSE IN VIGINITY | | | |
| DISTANCE TO | | | |
| COMMERCIAL/INDUST | RESIDENTIAL AREAS, NATIO RIAL FORESTS, OR WILDUF | | AG LUNO |
| A 0-0/ Im | | (me) C(me) | 0-75 im |
| Radio Tower Radio Tower Radio Tower Radio Tower Radio Tower | Hereier of Park Park Park Park Park Park Park Park | Pacinth Sch | Q U A R R X |
| VII. SOURCES OF INFORMATI | ON "Cre specific references of state floor spread analysis | n reprie | |

| 9 | EPA |
|---|------------|
| | \square |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - SAMPLE AND FIELD INFORMATION

| | TRATION |
|----------|-------------|
| DI STATE | 005 477 666 |
| 10 | 003 91/606 |

| | | | THE SAME LE AND FIELD INFORMATION | |
|--------------------------|-----------|---------------|--|-------------------|
| IL SAMPLES TAKEN | | | | |
| SAMPLE TYPE | | SAMPLES TAKEN | OZ SAMPLER SENT TO | OS ESTIMATED ONTE |
| GROUNOWATER | | 4 | ARDL INC. MT. UERNON, IL. | 12-91 |
| SURFACE WATER | | | , == = = | |
| WASTE | | | | |
| AM | | | | |
| RUNOFF | | | | |
| SPUL. | | | <u>.</u> | |
| SOL | | 5 | ARDL, INC. MI VERNON, IL | 12-91 |
| VLGETATION | | | | <u> </u> |
| OTHER | | SEDIMENT | AROL, INC. MT. VERNON, IL | 12-91 |
| IL FIELD MEASURE | MENTS TAI | (D) | <u>* </u> | |
| PHOTO-ICUI DETECTOR (| HNU) | NO READIN | ugs over background | |
| Ph (WATE) | _ | | | |
| TEMP (WATE | | | | |
| COUDUCTIVITY | (WATER) | | | |
| W 8407008A84 | | <u> </u> | | |
| OI TYPE TOPOUN | | <u> </u> | 02 H CUSTODY OF TEPA | |
| | | | Marin of experience of managed | |
| OS HAPS EXYES C NO | IE, | PA / LPC | | |
| V. OTHER FIELD D. | ATA COLLE | CTED | | |
| NONE - | | | | |
| | | | | |
| 1 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | e g. state ting a harrow analysis -casariya | |
| I EPA | FILES | | INSPECTION OF LOVERAGE 20121, 199, | , |
| CERCLA. | screex | ing 1116 | THE THE STATE OF T | · . |
| 1 | | | | |

| \$ | EF | A |
|----|----|---|
|----|----|---|

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 7 - OWNER INFORMATION

L DENTIFICATION

01 STATE 02 STE NAMER

TLD 005477666

| CURRENT OWNERS | | | PARENT COMPANY A MARKET | | |
|--------------------------------------|-------------|---------------|--|-------------|----------------------|
| NAME. | 1- | 20+8 MARKER | OS HAME | · · | 10 0+ 0 NUMBER |
| CARUS CHEMICAL COM | ASK Y | 005477666 | <u> </u> | į. | |
| STREET ADDRESS (FO day WOF ME) | | 04 SC CODE | 10 STREET ADDRESS PO SEL MOS EL | | 11 SC 000E |
| 1500 EIGHTH STREET | - | 2819 | | | 1 |
| arr | DO STATEK | 7 200CE | 12 017 | 13 STATE | 4 D COOL |
| LO SAUE. | コエレ | 61301 | | 1 1 | |
| 1 NAME | , k | 2 0+8 MARKER | OR MAME | - | 20 0 + 6 HUMBER |
| | Ì | | | | |
| STREET ADDRESS IP O BL. MOF. SET | | 04 SIC COOR | 10 STREET ADDRESS (FO Box AFD F am.) | 1 | 11 SIC CODE |
| | | 1 | | | |
| \$ Q TY | OG STATE | 07 2P COOE | 12 CTY , | ILS STATE! | 14 DP COOE |
| | 1 1 | | 1 | | |
| 71 NAME | | 02 D+8 NUMBER | C8 NAME | | 09 D+8 NUMBER |
| | 1 | | - Constant | | 0 + D + G +() # GE # |
| STREET ADDRESS (P.O. box 800 m.) | | 104 SIC CODE | 10.00000 | | 1,100 |
| STREET AUGMESSIFE But WEEF MET | | V- 34 444 | 10 STREET ADDRESS IP 0 BL MO F SEE | | 11 SIC COOE |
| | (A | 1 10 000 | | | |
| is any | OS STATE | 07 UP CODE | 12 017 | 13 STATE | 14 DF COOE. |
| | | | | | |
| I NAME | | 02 D+8 NUMBER | OS NAME | | 09 0+ 8 MANGER |
| | | | | | |
| OS STREET ADDRESS (P O box #0 0 or) | | 04 SFC COOE | 10 STREET ADDRESS P 0 Am MO F AT | | 1 1 SEC CODE |
| | | | | | 1 |
| os arv | OS STATE | 07 ZP COOE | 12 CITY | IJSTATE | 14 ZP CODE |
| | | | | | |
| EL PREVIOUS OWNER(S) | *** | | IV. REALTY OWNERS) | ~~ ~~ ~~ | |
| 01 9446 | | 02 D+B HUNGER | O1 NAME | | 02 0+ 8 MARKE |
| | | | ļ | | ł |
| 03 STREET ADDRESS IP 0 Bas MOP on | | 04 SC COOE | 03 STREET ADDRESS (P 0 But AFD + one) | | 04 SIC COOK |
| | | 1 | } | | 1 |
| 05 CITY | DO STATE | 07 ZP COOE | 08 CITY | DE STATE | 07 2P 000E |
| | | | 1 | 1 | 1 |
| OT NAME | • | OZ D+B MIMBER | 01 NAME | | 02 0+8 ***** |
| | | | | | |
| 03 STREET ADDRESS IP 0 mm MOP mm | | 04 SEC COOK | OJ STREET ACOMESSIO O DE MOO MI | | 04 SC 0000 |
| | | | <u> </u> | | 1 |
| os any | DE STATE | 07 ZP COOE | 05 CITY | OS STATE | 07 ZP COCK |
| | | | | 1 | 1 |
| O1 NAME | | 02 D+8 HUMBER | OI NAME | | 02 D+8 MUMBE |
| | |] | | | 1 |
| | | 04 SIC CODE | O3 STREET ADDRESS IF O But MOF ME! | | 04 550 0000 |
| 03 STREET ADDRESS (PO Me MOP ME) | | [| 1 | | i |
| OJ STREET ADDRESS (P.O. dos AFD# me) | | | 1 | | ľ |
| OJ STREET ADDRESS (P O and AFFF are) | 06 STATE | 07 ZIP COOE | 05 CITY | OS STATI | 1 01 23° COOE |

| 3 | EF | X |
|---|----|---|
| 7 | | |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - OPERATOR INFORMATION

| L IDENT | TICATION |
|---------|----------------|
| | 02 SITE HUMBER |
| ILD | 005477666 |

| IL CURRENT OPERATOR AND ADDRESS OF THE PERSON OF THE PERSO | | | | OPERATOR'S PARENT COMPANY | | |
|--|------------------|--------------|-------------------------------|-------------------------------|---------------------|----------------|
| NAME OZ D+ B MAMBER | | | 10 RAME | ľ | 1 D+6 NUMBER | |
| STREET ADDRESS IF O SAL MOP INC. | | | 12 STREET ADDRESS # 0 Am. A | F0 # et. | 13 SIC CODE | |
| 06 STATE 07 ZP COC | | 07 ZP COOE | 14 017 | 15 STATE : | ● 23° COOE | |
| YEARS OF OPERATION | OR NUME OF OWNER | | | | | <u> </u> |
| H. PREVIOUS OPERAT | OR(8) ~~ ~~ ~~ | L pro-es era | · (afferent trans parties | PREVIOUS OPERATORS | PARENT COMPANIES #4 | |
| 11 MANE | | | 02 D+8 MUMBER | 10 NAME | | 1 D+B MUMBER |
| 03 STREET 100/RESS (P.O. deat, At 0.P. sec.) 04 SrC CODE | | | 12 STREET ADDRESS IP O Beat I | V0• ≈; | 13 S/C COOE | |
| is any | | 04 STATE | 07 ZP COOE | 14 CRTY | 15 STATE | 16 ZP COOE |
| DE YEARS OF OPERATION | 09 NAME OF OWNER | DUPPHG THE | PERCO | | | |
| O1 NAME | <u> </u> | | 02 D+8 MLAMBER | 10 NAME | | I I D+8 NUMBER |
| DA STREET ADDRESS IP O au | id. AFO F. 686.) | | 04 SIC COOE | 12 STREET ADDRESS (P O But.) | MO# mg ; | 13 SC COOE |
| os atv | | 00 STATE | 07 ZIP COOE | 14 017 | 15 STATE | 18 ZP COOE |
| 04 YEARS OF OPERATION | OR NAME OF OWNER | OUPENS THE | IS PERIOD | | | ··· |
| D1 Mame | <u> </u> | | 02 D+8 NUMBER | 10 NAME | | 110+6 NUMBER |
| 03 STREET ADDRESS (P 0 Sale, APD P. onl.) | | | 04 SIC COOE | 12 STREET ADDRESS IP 0 and | #01 cc : | 13 SIC COOE |
| 06 CITY | | OS STATE | 07 ZP COOE | 14 CTY | 15 STATE | 16 2P CODE |
| 06 YEARS OF OPERATION | 09 NAME OF OWNER | OUPPOR TH | IS PERIOD | | | |
| IV. SOURCES OF INFO | DRMATION CO. | - | e e . mus fins. mans and | | | _ |
| A | | | | | | |
| | | | | | | |
| | | | | | | |

| • | |
|---|--|
| | |
| | |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L IDENTIFICATION

OI STATE OF STEENANDA

TLD 005477

| ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | PART | 9 - GENERATOR | TRANSPORTER INFORMATION | ILD 0 | 054776 |
|---|-------------|---------------|--------------------------------------|---------------------|---------------|
| II. ON-SITE GENERATOR | | | | | |
| NA | | 02 0+8 MANGER | | | |
| 3 STREET ADDRESS (P.O. dec. AFO F. am.) | | 04 SIC COOK | | | |
| s atv | 04 STATE | 07 2P CODE | | | |
| III. OFF-SITE GENERATOR(3) | | | | | |
| I NAME | | 02 0+8 NUMBER | 01 NAME | C | 2 0+8 MARKER |
| STREET ADDRESS (P.O. des AFD P. one) | | 04 SIC CODE | 03 STREET ADDRESS IP O BL. NO F INC. | | 04 8KC CCCCE |
| 5 GTY | OR STATE | 07 ZIP COO€ | 05 CTTY | GO STATE | OF DIP COOK |
| IT NAME | | 02 D+8 MUMBER | O1 NAME | | 20+8 MAMEA |
| OJ STREET ADDRESS IP O des AFD P set I | | 04 S/C COOE | OJ STREET ADDRESS (P O BOL MOD OR) | | 04 SIC 000E |
| 06 CITY | OG STATE | 07 ZUP COOE | 05 aty | OS STATE | 7 2P CODE |
| IV. TRANSPORTER(S) | | | | | |
| 1 NAME | | 02 D+8 NUMBER | O1 NAME | | |
| • | | | UT HAME | G | 2 D+ B MUMBER |
| 3 STREET ADDRESS IP 0 dea AFD # mc / | | 04 SIC CODE | OJ STREET ADDRESS (O DE WO . EL) | <u>-</u> | 04 SEC COOSE |
| s cary | O4 STATE | 07 25 COOE | 06 CTY | OS STATE | 07 2P COOS |
| 1 NAME | | 02 D+8 MANBER | O1 NAME | | 20+8 MAGER |
| OJ STREET ADDRESS (P O Bos AFO P are) | | 04 SIC CODE | 03 STREET ADDRESS IP 0 BM. NO P INC. | <u> </u> | 04 SIC COOE |
| SCTY | OG STATE | 07 ZP COOE | 06 CITY | OB STATE C | 7 PP COPS |
| . SOURCES OF INFORMATION 🗪 | | | | | |
| | | | M. 78649 | | |

IEPA FILES.

| | | | | L DENTIFICATION |
|--|---------------------------|--------------------------------------|-----------|------------------------|
| | POTENTIAL HA | ZARDOUS WASTE SITE | | OI STATE OF SITE HAMED |
| EPA | SITE INSP | ECTION REPORT RESPONSE ACTIVITIES | | ILD 005477666 |
| | | | | |
| AST RESPONSE ACTIVITIES | | 02 DATE | 03 AGENCY | |
| OI DA WATER SUPPLY CLOSED | | | | |
| 04 DESCRIPTION WA | | | | |
| 1-//- | | 02 DATE | 03 AGENCY | |
| 01 C & TEMPORARY WATER SU | PPLY PROVIDED | U2 DATE | | |
| A ACCOMMON | | | | |
| MA | | 02 DATE | 02.40690 | , |
| 01 C. PERMANENT WATER SU | PPLY PROVIDED | OZ DATE | W ACEN | |
| | | | | |
| W/A | | | | |
| 01 0 0 SPILED MATERIAL REM | OVED | 02 DATE | 63 VCENC | Y |
| | | | • | |
| MA | | | | |
| • | 7.0153 | 02 DATE | 03 AGENC | Υ |
| 01 DE. CONTAMINATED SOIL R | EMOVED . | | | |
| 04 DESCRIPTION NA | | | | |
| | | 02 DATE | 03 AGENO | ΥΥ |
| 01 D F. WASTE REPACKAGED | • | UZ UATE | | |
| A A ACCOMPTION | | | | |
| MA | | | 00.051 | Y |
| OI Q Q WASTE DISPOSED ELS | EWHERE | 02 DATE | _ UJ AGEN | |
| 04 DESCRIPTION | | | | |
| NIA | | | | |
| | | 02 DATE | 03 AGEN | Y |
| 01 GH ON SITE BURIAL | | | | |
| MA | | | | _ |
| - / / | | 02 DATE _ 4-2-85 | L 03 AGEN | CY IEA |
| 01 D.L. N. STU CHEMICAL TRE 04 DESCRIPTION CARUS 3.5UFFTEO, U. THE SURFACE | ATMENT COMPA | LY PERSONNEL | PREAD M | ANCHNESE SULFATE. |
| . 04 DESCRIPTION CARUS | CE OF THE SOUTH | SETTLING AND TREA | trment f | DOND TO CONTION |
| | | 7E | 03 4052 | CY |
| O1 (1) N STU BOLOGON I | REATMENT | OZ DATE | _ ~~~ | |
| 04 DESCRIPTION | - | | | |
| $\mathcal{N}/2$ | | | | |
| 01 D K. N STU PHYSICAL TR | EATMENT | 02 DATE | 03 AGE | *CY |
| 04 DESCRIPTION | • | | | |
| WI | 7 | | | |
| | | 02 DATE | 03 AGE | NCY |
| OI DL ENCAPSULATION | IA | | | |
| 04 DESCRIPTION | 14 | | | |
| | | 02 DATE | 03 AGE | NCY |
| 01 C M EMERGENCY WAST | ETHEATMENT | | | |
| 04 DESCRIPTION | 1/a | | | |
| , | | 02 DATE | 03.405 | NCY |
| O1 G N CUTOFF WALLS | V/A | 02 DATE | | |
| 04 DESCRIPTION | 1/2 | | | |
| l '' | | | | |
| | G-SURFACE WATER DIVERSION | 02 DATE | 03 AG | ENCY |
| | | | | |
| 04 DESCRIPTION | A | | | - |
| 1 | - <i>/</i> | | | ELCY |

OZ DATE _

02 DATE _

01 D P CUTOFF TRENCHES/SUMP 04 DESCRIPTION

01 C Q SUBSURFACE CUTOFF WALL 04 DESCRIPTION

03 AGENCY

03 AGENCY _

| _ | |
|---|----|
| | 77 |
| | |

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PART RESPONSE ACTIVITIES

| | TETCATION |
|----------|-----------------|
| OI STATE | OF SITE HALAMEN |
| ILD | 005477666 |

| | PART 10 - PAST RESPONSE ACTIVITIES | ILD 1005477 666 |
|---|------------------------------------|-----------------|
| PAST RESPONSE ACTIVITIES | | |
| 01 DR BARRER WALLS CONSTRUCTED 04 DESCRIPTION MA | 02 DATE | 03 AGENCY |
| 01 G S CUPPING/COVERING 04 DESCRIPTION M/A | | 03 AGENCY |
| 01 T BULK TANKAGE REPARED 04 DESCRIPTION MA | · | OJ AGENCY |
| 01 C U GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION | O2 DATE | |
| 01 0 V BOTTOM SEALED C4 DESCRIPTION V/A | | 03 AGENCY |
| 01 Z W GAS CONTROL 04 DESCRIPTION | O2 DATE | O3 AGENCY |
| 01 C X. FIRE CONTROL 04 DESCRIPTION MA | | 03 AGENCY |
| 01 C Y LEACHATE TREATMENT 04 DESCRIPTION | | 03 AGENCY |
| 01 C Z AREA EVACUATED 04 DESCRIPTION MA | | 03 AGENCY |
| 01 C 1 ACCESS TO SITE RESTRICTED 04 DESCRIPTION | | O3 AGENCY |
| 01 C 2. POPULATION RELOCATED 04 DESCRIPTION MA | | 03 AGENCY |
| 01 C 3 OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION | 02 DATE | OJ AGENCY |
| NONE | | |

NL SOURCES OF INFORMATION (Can secret references # # Hare The secrets and reserve

TEPA FILES



POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

L DENTIFICATION

01 STATE OF SITE NAMED

TLD 005 477666

L ENFORCEMENT INFORMATION

OI PAST REGULATORY/ENFORCEMENT ACTION (I YES)THO

02 DESCRIPTION OF FEDERAL STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

NONE

III. SOURCES OF INFORMATION (CO. MAIN THOUSEN .) HAS THE MATER OPENING

IEPA FILES.

APPENDIX D

TARGET COMPOUND LIST

TARGET COMPOUND LIST

Volatile Target Compounds

Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane 1,2-Dichloroethene (total) Chloroform 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane

1,2-Dichloropropane
cis-1,3-Dichloropropene
Trichloroethene
Dibromochloromethane
1,1,2-Trichloroethane
Benzene
trans-1,3-Dichloropropene
Bromoform
4-Methyl-2-pentanone
2-Hexanone
Tetrachloroethene
1,1,2,2-Tetrachloroethane
Toluene
Chlorobenzene
Ethylbenzene
Styrene
Xylenes (total)

Base/Neutral Target Compounds

Hexachloroethane bis(2-Chloroethyl)Ether Benzyl Alcohol bis(2-Chloroisopropyl)Ether N-Nitroso-Di-n-Propylamine Nitrobenzene Hexachlorobutadiene 2-Methylnaphthalene 1,2,4-Trichlorobenzene Isophorone Naphthalene 4-Chloroaniline bis(2-chloroethoxy)Methane Hexachlorocyclopentadiene 2-Chloronaphthalene 2-Nitroaniline Acenaphthylene 3-Nitroaniline Acenaphthene Dibenzofuran Dimethyl Phthalate 2,6-Dinitrotoluene Fluorene 4-Nitroaniline 4-Chlorophenyl-phenylether

2,4-Dinitrotoluene Diethylphthalate N-Nitrosodiphenylamine Hexachlorobenzene Phenanthrene 4-Bromophenyl-phenylether Anthracene Di-n-Butylphthalate Fluoranthene Pyrene Butylbenzylphthalate bis(2-Ethylhexyl)Phthalate Chrysene Benzo(a) Anthracene 3,3'-Dichlorobenzidene Di-n-Octyl Phthalate Benzo(b) Fluoranthene Benzo(k) Fluoranthene Benzo(a) Pyrene Indeno(1,2,3-cd)Pyrene Dibenz(a,h)Anthracene Benzo(g,h,i)Perylene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene

Acid Target Compounds

Benzoic Acid
Phenol
2-Chlorophenol
2-Nitrophenol
2-Methylphenol
2,4-Dimethylphenol
4-Methylphenol
2,4-Dichlorophenol

2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 4-Chloro-3-methylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol Pentachlorophenol 4-Nitrophenol

Pesticide/PCB Target Compounds

alpha-BHC
beta-BHC
delta-BHC
gamma-BHC (Lindane)
Heptachlor
Aldrin
Heptachlor epoxide
Endosulfan I
4,4'-DDE
Dieldrin
Endrin
4,4'-DDD
Endosulfan II
4,4'-DDT

Endosulfan Sulfate Methoxychlor alpha-Chlorodane gamma-Chlorodane Toxaphene Aroclor-1016 Aroclor-1221 Aroclor-1232 Aroclor-1242 Aroclor-1248 Aroclor-1254 Aroclor-1254

Endrin Ketone

Inorganic Target Compounds

Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium

Manganese
Mercury
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Cyanide
Sulfide
Sulfate

SDMS US EPA REGION V COLOR-RESOLUTION - 2

IMAGERY INSERT FORM


The following page(s) of this document include color or resolution variations. Unless otherwise noted, these pages are available in monochrome. The original document is available for viewing at the Superfund Records Center.

| SITE NAME | MATTHIESEN & HEGELER ZINC |
|---|---|
| DOC ID# | 146317 |
| DESCRIPTION OF ITEM(S) | LOCATION MAPS & SITE PHOTOGRAPHS |
| PRP | RMD - MATTHIESEN & HEGELER ZINC |
| DOCUMENT VARIATION | X COLOR OR RESOLUTION |
| DATE OF ITEM(S) | 1979-1991 |
| NO. OF ITEMS | 19 |
| PHASE | SAS |
| OPERABLE UNITS | |
| LOCATION | Box # Folder # Subsection <u>C3</u> |
| PHASE (AR DOCUMENTS ONLY) | RemedialRemovalDeletion DocketOriginalUpdate #Volume of |
| COMMENT(S) | |
| APPENDIX E - LOCATION MAPS & SITE PHOTOGRAPHS | |

APPENDIX E

IEPA SITE PHOTOGRAPHS





TIME: 10:15 AM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER: 1

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD the north.

Sample point G101. Carus monitoring well located along the western side of Emergency Storage Site.

DATE: November 20, 1991

TIME: 10:15 AM


PHOTOGRAPH TAKEN BY: Kim Nika


PHOTO NUMBER 2

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD the southeast.

Sample point G101. This well is approximately 24.5 feet deep.





TIME: 11:15 AM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER 3

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD the south.

Sample point G103. Carus monitoring well located along the eastern bank of Emergency Storage Site. The monitoring station is at the end of the chain link fence.

DATE: November 20, 1991

TIME: 11:15 AM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER 4

LOCATION: Carus Chemical Company. ILD 005477666

PICTURE TAKEN TOWARD the north northwest.

Sample point G103.

Emergency Storage Area
is to the left of photo.

This well is approximately 23.5 feet deep.





DATE: November 20, 1991

TIME: 12:07 PM

PHOTOGRAPH TAKEN BY:
Kim Nika

PHOTO NUMBER 5

LOCATION: Carus Chemical
Company ILD 005477666

PICTURE TAKEN TOWARD
the southeast.

Sample point G106. Carus
monitoring well located
along the southeast edge
of Emergency Storage
Area.

DATE: November 20, 1991

TIME: 12:07 PM

PHOTOGRAPH TAKEN BY:

<u>Kim Nika</u>


PHOTO NUMBER ____6

LOCATION: <u>Carus Chemical</u> <u>Company ILD 005477666</u>

PICTURE TAKEN TOWARD the northwest.

Sample point G106.
Emergency Storage Area
is visible in the center
of the photo. This well
is approximately 32 feet
deep.





P.5

TIME: 2:15 PM

PHOTOGRAPH TAKEN BY:

Kim Nika

PHOTO NUMBER _____7

LOCATION: Carus Chemical

Company ILD 005477666

PICTURE TAKEN TOWARD the northeast.

Sample G112 was obtained from an IEPA monitoring well located at the southeast corner of the

<u>LaSalle Electrical</u> Utilities site.

DATE: November 20, 1991

TIME: 2:15 PM

PHOTOGRAPH TAKEN BY:

<u>Kim Nika</u>

PHOTO NUMBER 8

LOCATION: Carus Chemical


Company ILD 005477666

PICTURE TAKEN TOWARD

the south.

Sample point G112. Clear plastic is used to collect any water that may be accidentally spilled during sampling.





DATE: November 20, 1991.

TIME: 3:05 PM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER 9

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD the east-southeast.

Sample point X105.
Sample was collected at the southeastern corner of the area used for manufacturing at a depth of 0 to 8 inches.

DATE: November 20, 1991

TIME: 3:05 PM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER 10

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD the north.

Sample X105. A portion of the site drains toward the southeast. The water is diverted back to the monitoring station before it is allowed to enter the south lagoon.





TIME: 3:30 PM

PHOTOGRAPH TAKEN BY:

KIM NIKA

PHOTO NUMBER ____11___

LOCATION: <u>Carus Chemical</u> <u>Company ILD 005477666</u>

PICTURE TAKEN TOWARD

the south.

Sample point X102. The large tank in the back-ground is an old acid tank that is no longer used. Sample was taken from the surface of the ground.

DATE: November 20, 1991

TIME: 3:30 PM

PHOTOGRAPH TAKEN BY:

Kim Nika____

PHOTO NUMBER _____12____


LOCATION: <u>Carus Chemical</u> Compant ILD 055477666

PICTURE TAKEN TOWARD

the north.

Sample point X102. Area at one time was used to store filter bags and drums.





TIME: 3:50 PM

PHOTOGRAPH TAKEN BY:

Kim Nika

PHOTO NUMBER ____13_____

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD

the north.

Sample X207. Sediment sample collected from the south end of the Emergency Storage Site. Sampling depth was 0 to 3 inches. Site slopes to south.

DATE: November 20, 1991

TIME: 3:50 PM

PHOTOGRAPH TAKEN BY:

Kim Nika

PHOTO NUMBER ___14

LOCATION: Carus Chemical Company. ILD 005477666

PICTURE TAKEN TOWARD the southeast.

Sample point X207. The monitoring station is located in the small green building.





TIME: 4:20 PM ____

PHOTOGRAPH TAKEN BY:

Kim Nika

PHOTO NUMBER 15

LOCATION: Carus Chemical Company. ILD 055477666

PICTURE TAKEN TOWARD

the east.

Sample point X101.

Background sample from
Hegeler Park. Sample was
collected at a depth of
0 to 4 inches.



DATE: November 20, 1991

TIME: 4:20 PM

PHOTOGRAPH TAKEN BY:

Kim Nika

PHOTO NUMBER ___16_

LOCATION: Carus Chemical Company. ILD 005477666

PICTURE TAKEN TOWARD

the south.

Sample point X101

collected from Hageler
Park. Swimming pools are

in the background.



TIME: 9:00 AM

PHOTOGRAPH TAKEN BY:

<u>Kim Nika</u>

PHOTO NUMBER ____17

LOCATION: <u>Carus Chemical</u> Company. ILD 055477666

PICTURE TAKEN TOWARD the north.

Sample point X204.

Sample collected in the
Little Vermilion River
downstream from where
the overflow from the
South Lagoon enters the
river. Water flowing
from the lagoon can be
seen behind the sampler.

DATE: November 21, 1991

TIME: 9:00 AM

PHOTOGRAPH TAKEN BY:

Kim Nika


PHOTO NUMBER ____18

LOCATION: <u>Carus Chemical</u> Company. ILD 055477666

PICTURE TAKEN TOWARD the east.

Sample X204. The Little Vermilion River is in background. Sample was collected at a depth of 0 to 8 inches.





P. 11

DATE: November 21, 1991.

TIME: 9:30 AM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER 19

LOCATION: Carus Chemical Company. ILD 055477666

PICTURE TAKEN TOWARD the south.

Sample point X205.
Sediment sample obtained from the South Lagoon near the overflow to the Little Vermilion River.
Collected at a depth of 0 to 8 inches.

DATE: November 21, 1991.

TIME: 9:30 AM

PHOTOGRAPH TAKEN BY: Kim Nika

PHOTO NUMBER 20

LOCATION: Carus Chemical Company. ILD 055477666

PICTURE TAKEN TOWARD the north.

Sample point X205.
South Lagoon is on the .
left. Fog in the background is caused by the
water entering the pond
being warmer than the
surrounding air.





TIME: 9:55 AM

PHOTOGRAPH TAKEN BY:

Kim Nika___

PHOTO NUMBER ____21

LOCATION: Carus Chemical

Company. ILD 055477666

PICTURE TAKEN TOWARD

the east.

Sample point X206.

Sediment sample obtained from a delta formed where the water from the plant enters the South Lagoon, Collected at a depth of 0 to 8 inches.



DATE: November 21, 1991

TIME: 9:55 AM

PHOTOGRAPH TAKEN BY:

Kim Nika

PHOTO NUMBER 22

LOCATION: Carus Chemical Company. ILD 005477666

PICTURE TAKEN TOWARD the south.

Sample point X206. Photo taken away from sampling point and shows portion of the delta, which extends back to the pipe that passes through the monitoring station.



TIME: 10:20 AM

PHOTOGRAPH TAKEN BY:

Kim Nika___

PHOTO NUMBER 23

LOCATION: Carus Chemical Company. ILD 055477666

PICTURE TAKEN TOWARD

the south.

Sample point X203.

Sediment sample from the Little Vermilion River at a point located downstream from runoff ditches and an outfall

pipe. Collected at a
depth of 0 to 8 inches.



DATE: November 21, 1991

TIME: 10:20 AM

PHOTOGRAPH TAKEN BY:

Kim Nika


PHOTO NUMBER 24

LOCATION: Carus Chemical Company. ILD 055477666

PICTURE TAKEN TOWARD

the north.

Sample point X203 on the west bank of the Little Vermilion River. Land at the upper left corner rises sharply.



TIME: 11:00 AM

PHOTOGRAPH TAKEN BY:

Kim Nika


PHOTO NUMBER ____25___

LOCATION: Carus chemical

Company. ILD 005477666

PICTURE TAKEN TOWARD the north.

Sample point X103. This soil sample was inadvertently labeled as sample X203 on the photo board. Collected at a depth of 0 to 6 inches.



DATE: November 21, 1991

TIME: 11:00 AM

PHOTOGRAPH TAKEN BY:

<u>Kim Nika</u>

PHOTO NUMBER 26

LOCATION: Carus Chemical Company ILD 005477666

PICTURE TAKEN TOWARD the south.

Sample point X103. This soil sample was inadvertently labeled as X203. The sample was collected in an area where slaq was deposited from the zinc processing facility located to the north.



and Zinco.



DATE: November 21, 1991

TIME: 11:25 AM

PHOTOGRAPH TAKEN BY:
Tim Murphy

PHOTO NUMBER ___ 28


LOCATION: Carus Chemical
Company ILD 0055477666

PICTURE TAKEN TOWARD
the east.

Sample point X104. The distance to the river is 150 feet from where the photo was taken. Sample was collected at a depth of 0 to 6 inches.



a depth of 0 to 4 inches.







DATE: November 21, 1991

TIME: 12:36 PM

PHOTOGRAPH TAKEN BY:
Kim Nika

PHOTO NUMBER 31

LOCATION: Carus Chemical
Company. ILD 005477666

PICTURE TAKEN TOWARD

the south.

Sediment sample X201
was collected from the
Little Vermilion River
at a point where water
from an old Zinco sewer
enters the river. The
sample was collected at
a depth of 0 to 7 inches.

DATE: November 21, 1991

TIME: 12:30 PM

PHOTOGRAPH TAKEN BY:

<u>Kim Nika</u>

PHOTO NUMBER 32

LOCATION: <u>Carus Chemical</u> <u>Company</u>. <u>ILD</u> 005477666

PICTURE TAKEN TOWARD the west.

Sewer and stream on Zinco property that flows into the Little Vermilion River where sample X201 was taken. The water was clear and had a patch of algae growing in it.





| DATE: <u>November 21, 1991</u> | |
|---|--|
| | |
| TIME: 12:55 PM | |
| | |
| PHOTOGRAPH TAKEN BY: | |
| Kim Nika | |
| DUOMO NUMBER. 22 | |
| PHOTO NUMBER: 33 | |
| | |
| LOCATION: Carus Chemical | |
| Company. ILD 055477666 | |
| | |
| PICTURE TAKEN TOWARD | |
| the east-northeast. | |
| • | |
| | |
| Sediment sample X208 was | |
| collected on the east side | |
| of the Little Vermilion | |
| River upstream from where | |
| a drainage channel from a | |
| quarry enters the river. The building at the top of | |
| The building at the top of the photo is on quarry | |
| property. | |
| property. | |
| | |
| | |
| | |
| | |
| DATE: | |
| m**** | |
| TIME: | |
| PHOTOGRAPH TAKEN BY: | |
| PHOTOGRAPH TAKEN BI. | |
| - | |
| PHOTO NUMBER: | |
| | |
| LOCATION: | |
| | |
| | |
| PICTURE TAKEN TOWARD: | |
| the | |
| | |
| | |
| | |
| *************************************** | |
| | |
| | |

